

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,445	06/30/2003	David Di Huo	29250-000763/US	7132
7590 05/02/2008 HARNESS, DICKEY & PIERCE, P.L.C.			EXAMINER	
P.O. Box 8910 Reston, VA 20195			PATEL, AJIT	
			ART UNIT	PAPER NUMBER
			2616	
			MAIL DATE	DELIVERY MODE
			05/02/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/608,445 HUO, DAVID DI Office Action Summary Examiner Art Unit AJIT G. PATEL 2616 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 28 March 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) 1-9,11 and 12 is/are allowed. 6) Claim(s) 10.13-17 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Imformation Disclosure Statement(s) (PTC/S5/08)
Paper No(s)/Mail Date ______.

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/608,445 Page 2

Art Unit: 2616

1. Claim 2 is objected to because of the following informalities: The recitation in line

2. "the scalar parameter" should be changed to --the granularity scalar parameter--.

Appropriate correction is required. Same error appears in claims 3,5.

2. Claim 10 recites the limitation "the bucket capacity parameter" in lines 1-2.

There is insufficient antecedent basis for this limitation in the claim.

Claim 10 recites the limitation "the leaky bucket data flow scheme" in line 2.

There is insufficient antecedent basis for this limitation in the claim.

4. Claim 13 recites the limitation "the indication capacity" in line 5. There is

insufficient antecedent basis for this limitation in the claim.

5. Claim 14 recites the limitation "the bucket capacity indicator" in lines 1-2. There

is insufficient antecedent basis for this limitation in the claim.

6. Claim 15 recites the limitation "the bucket capacity indicator" in line 3. There is

insufficient antecedent basis for this limitation in the claim.

7. Claim 16 recites the limitation "the scalar value" in line 2. There is insufficient

antecedent basis for this limitation in the claim.

Application/Control Number: 10/608,445 Page 3

Art Unit: 2616

 Claim 17 recites the limitation "the scalar value" in line 2. There is insufficient antecedent basis for this limitation in the claim.

- Claims 1-9.11.12 are allowed.
- Claims 10,13-17 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.
- 11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AJIT G. PATEL whose telephone number is 571-272-3140. The examiner can normally be reached on MONDAY- FRIDAY.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris TO can be reached on 571-272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/608,445 Page 4

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/AJIT G. PATEL/ Primary Examiner, Art Unit 2616